

Flush Mounted Door Station

Description

Aiphone JO Series App Enabled Video Entry System. Single Flush Mounted Door Station and Single Monitor



Product Summary

This boxed set contains all the equipment needed for an app-enabled entry security system. A call from the flush mounted video doorbell rings the on-site monitor and up to eight smartphones or tablets. After answering the call, you can see and speak with your visitor then easily unlock the door with the touchscreen monitor or using the slider button on the app

Certification		BIM Assist™	
European Norm	No Harmonised European Norm	CE	
Product Classification	n/a (No Harmonised European Norm)		
EC Certificate of Conformity No.	n/a (No Harmonised European Norm)	BC(A)R Assist™*	
Certifire No.	n/a	Guarantee	1 Year
Declaration of Performance	n/a (No Harmonised European Norm)	Last Reviewed	17/08/2022
Other Test Evidence	n/a	* ROI Only	

For the purpose of continual product development, KCC reserves the right to change specifications without notice.

Please accept all dimensions as approximate. E&OE. © KCC Group 2025.



Flush Mounted Door Station

Description

Aiphone JO Series App Enabled Video Entry System. Single Flush Mounted Door Station and Single Monitor



Operation

- This boxed set contains all the equipment needed for an app-enabled entry security system. A call from the flush mounted video doorbell rings the on-site monitor and up to eight smartphones or tablets. After answering the call, you can see and speak with your visitor then easily unlock the door with the touchscreen monitor or using the slider button on the app
- Our unique hardwired monitor ensures calls can be answered even when the
 internet is down or slow and the mobile app ensures you stay connected when
 you're on the go. The monitor features built-in memory that can be manually
 activated to record video from the doorbell or set to automatically record all
 calls. Expand storage using the MicroSD card slot and view recorded calls on
 both the monitor and the app



Features

- Box set includes all you need for an app capable video intercom system
- Answer and open your door from the on-site master or your mobile device
- Connect up to 8 smartphones or tablets per system
- On-site monitor ensures calls get answered or recorded
- Store calls with no added fees using onboard memory
- Adding a MicroSD card to the on-site monitor increase call storage
- Watch recorded calls from the on-site master or on the mobile app
- Large 7" touchscreen provides crisp, clear detail of your caller
- Stainless steel vandal resistant surface mount video door intercom
- Video door intercom automatically activates white LED lights to see clearly at night
- Replace standard doorbells to add the security of seeing and speaking with visitors



Technical Characteristics

Inside Monitor

- Video Display: 7" TFT Touchscreen
- Mounting: Surface Wall Mount or Desk Mount with MCW-S Stand
- Internal Call Recording: 10 Calls Max. @ 10 Seconds/Call
- Memory Expansion: Micro SDHC Card Slot, 32GB Max.
- Call Recording with Max Memory: 1,000 Calls Max. @ 10 Seconds / Call
- Communication Style: Handsfree or PTT
- Wireless Frequency: 2.4 GHz
- Wireless Protocol: 802.11b, 802.11g, and 802.11n (Wireless B/G/N)
- H130 x W230 x D21

For the purpose of continual product development, KCC reserves the right to change specifications without notice. Please accept all dimensions as approximate. E&OE. © KCC Group 2025.









Technical Characteristics

App

- Model: Intercom App Type B
- Max per system: 8 devices
- Available at: Apple App Store[™] or Google Play[™]



Technical Characteristics

Video Door Station

- Model: JO-DVF
- Power Source: Supplied by Inside Monitor
- Camera: 1/4 Inch Colour CMOS
- Mounting: Flush Mount using Supplied Box
- Faceplate Material: Stainless Steel
- Enclosure Rating: IP54
- Impact Rating: IK07
- Communication style: Handsfree
- Operational Temperature: -20 to 60°C
- Wiring to Master: 2-Cond., Low Cap, Non-Shielded
 Max. Wire Distance: 165' (22AWG) 330' (18AWG)
- H209 x W135



Technical Characteristics

Power Supply

Model: PS-1820UL

Power Source: AC 100~240V 50/60Hz

• Power Output: DC 18V 2A





Flush Mounted Door Station

Description

Aiphone JO Series App Enabled Video Entry System. Single Flush Mounted Door Station and Single Monitor



Specification Text

GENERAL ACCESS CONTROL

- · Manufacturer: Aiphone
- Product reference: KAC-JOS-1FW
- \cdot Type: Aiphone JO Series App Enabled Video Entry System. Single Flush Mounted Door Station and Single Monitor
- · Size: Various
- · Material/ finish: Stainless Steel / White ABS