


## Description

RBH Blueline™ Multi-Credential Contactless Reader. Reads UHSC Mifare DESFire Credentials. Sector Read Only





KAC-M45-S for CSN format

#### Technical Features

Function & Operation Proximity Reader that reads UHSC &

Mifare Credentials, and transfers the credential's identity to the access

control system

Summary of Features See advanced features

Dimensions

Dimensions Reader H100 x W50 x D20mm

Finishes

Options

Finishes Available Black, backlit blue

## Certification

European Norm No Harmonised European Norm

Product Classification n/a (No Harmonised European Norm)

EC Certificate of n/a

Conformity No.

Certifire No. n/a (No Harmonised European Norm)

Declaration of Performance n/a (No Harmonised European Norm)

Other Test Evidence n/a

# BIM Assist™

CE

# BC(A)R Assist™\*

Guarantee 1 Year

Last Reviewed 06/06/2024

\* ROI Only



## Description

RBH Blueline™ Multi-Credential Contactless Reader. Reads UHSC Mifare DESFire Credentials. Sector Read Only



#### **Technical Characteristics**

- Card Types: MiFARE credentials (DESFire EV1, EV2, EV3)
- SECTOR read only
- Housing: ABS
- Read Range: MiFARE Cards & Tags: Up to 200mm
- Cabling Wiegand: 152m max, 18 22 AWG, 6-7 conductor shielded cable
- Operating Temperature: -40°C to + 70°C
- Indicators: Tri-color LED, built-in Piezo sounder
- Frequency: 13.56 MHz
- Connector: 47cm Pigtail
- Rating: IP-65
- Power: 12 15 VDC @ 100 mA



## Description

RBH Blueline™ Multi-Credential Contactless Reader. Reads UHSC Mifare DESFire Credentials. Sector Read Only



# **Specification Text**

## **GENERAL ACCESS CONTROL**

- · Manufacturer: RBH
- Product reference: KAC-M45-D
- $\cdot$  Type: RBH Blueline  $^{\text{\tiny{TM}}}$  Multi-Credential Contactless Reader. Reads UHSC DESFire & Wiegand Credentials
- · Size: Reader H100 x W50 x D20mm
- · Material/ finish: ABS Casing / Black, Backlit Blue

