

**Description**

Geze UFO NT Underfloor Mounted Concealed Drive System for Automatic Swing Doors up to 125kg Leaf Weight (164823)



**Product Summary**

Electro-mechanical drive system for automatic swing single leaf doors. Internal or external, single or double leaf doors, up to 125kg leaf weight

**Certification**

European Norm	EN16005
Product Classification	See Declaration of Performance
EC Certificate of Conformity No.	See DOP
Certifire No.	n/a
Declaration of Performance	DOP 164823
Other Test Evidence	n/a

**BIM Assist™**

**CE**

**BC(A)R Assist™\***

**Guarantee**

**1 Year**

Last Reviewed

08/11/2023

\* ROI Only

*For the purpose of continual product development, KCC reserves the right to change specifications without notice. Please accept all dimensions as approximate. E&OE. © KCC Group 2025.*

## Description

Geze UFO NT Underfloor Mounted Concealed Drive System for Automatic Swing Doors up to 125kg Leaf Weight (164823)



### Features

- Underfloor, concealed drive system for automatic swing doors
- Quieter than traditional overhead automatic operators
- Particularly suited for buildings where automatic doors are required but with an operator that is not visible
- Compatible with glass, wood or metal doors
- Suitable for use where vandalism could be a problem as the operator is fully concealed
- Obstacle detection detects an object through contact and stops the opening or closing process
- Push & Go function triggers the automatic drive following light manual pressure on the door leaf
- Enables compliance to the Equality Act and BS8300

### Technical Characteristics



- Door leaf weight: Up to 125kg\*
- External door width: up 1250mm\*
- Internal door width: up 1600mm\*
- Minimum leaf width: 600mm\*
- Drive type: Electromechanical
- Maximum opening angle: 135°
- Mechanical latching action: Yes
- Opening and closing speed: Fully adjustable
- Closing force: EN 1-4
- Activation delay: 10s (maximum)
- Power rating: 200 W
- Power supply for external consumers: 24 V DC, 1200 mA
- Service temperature: -15 - 50 °C
- IP rating: IP67, fully sealed stainless steel enclosure
- Type of function Fully automatic
- Automatic function: Yes
- Low-energy function: Yes
- Function smart swing: Yes
- Obstacle detection: Yes
- Suitability for fire protection doors: No
- Integrated smoke switch: No

\* Subject to technical approval




Application Images



Application Images

### Description

Geze UFO NT Underfloor Mounted Concealed Drive System for Automatic Swing Doors up to 125kg Leaf Weight (164823)



*For the purpose of continual product development, KCC reserves the right to change specifications without notice.  
Please accept all dimensions as approximate. E&OE. © KCC Group 2025.*

[www.thekccgroup.com](http://www.thekccgroup.com)