

Description

Abloy Double Door Passive Leaf Top Lock for use with Abloy Passive Leaf Lock N1940 (N51200500000001)



Technical Features

Function & Operation Passive Leaf Top Lock for Double Leaf Doors

Summary of Features See advanced features

Options n/a

Dimensions

Dimensions See advanced features

Finishes

Finishes Available Forend: Satin Chrome Plated

Certification

European Norm EN1125

Product Classification ③⑦⑦B①③②②A/B C

EC Certificate of Conformity No. CE Certificate 0432-CPR-00007-15
EN1125

Certifire No. n/a

Declaration of Performance See CE Certificate

Other Test Evidence n/a

BC(A)R Assist™*

Guarantee

1 Year

Last Reviewed 19/01/2024

* ROI Only

For the purpose of continual product development, KCC reserves the right to change specifications without notice. Please accept all dimensions as approximate. E&OE. © KCC Group 2026.

Description

Abloy Double Door Passive Leaf Top Lock for use with Abloy Passive Leaf Lock N1940 (N51200500000001)

**Features**

- Abloy door lock for locking the top of the inactive leaf of double door applications
- Used with Abloy's passive leaf lock N1940
- Compatible with top locking bar N5121

**Technical Characteristics**

- Face plate shape: Square
- Face plate dimensions L189 x W24 x D3mm
- Housing dimensions: L146 x W46 x D20mm

Description

Abloy Double Door Passive Leaf Top Lock for use with Abloy Passive Leaf Lock N1940 (N51200500000001)

