

Description

KCC Una Timber Riser Door System c/w Concealed Steel Frame. Non Fire Rated



Product Summary

Una is a concealed frame riser door system designed to semi-conceal unsightly riser and service doors. The system includes a steel frame and timber door leaves

Certification

European Norm	No Harmonised European Norm
Product Classification	n/a (No Harmonised European Norm)
EC Certificate of Conformity No.	n/a (No Harmonised European Norm)
Certifire No.	n/a
Declaration of Performance	n/a (No Harmonised European Norm)
Other Test Evidence	n/a

BIM Assist™

BC(A)R Assist™*

Guarantee

Last Reviewed	30/08/2019
* ROI Only	

1 Year

For the purpose of continual product development, KCC reserves the right to change specifications without notice. Please accept all dimensions as approximate. E&OE. © KCC Group 2025.

Description

KCC Una Timber Riser Door System c/w Concealed Steel Frame. Non Fire Rated



Features

- Una is a concealed frame riser door system designed to semi-conceal unsightly riser and service doors
- The Una riser door system utilises a timber door leaf with a concealed metal frame which allows the fitting of standard locks and handles to match in with the rest of the project
- The frame is a single-piece metal section with a perforated bead and stop for fixing holes. The frame provides a strong and robust clean edge which can be plastered up to or tape and jointed to conceal the frame. Once installed the door can be finished along with the rest of the wall to completely hide the door



Technical Characteristics

- Fire Rating: Non Fire Rated
- Frame: Folded cold rolled mild steel. Unfinished for site painting or powder coated to standard RAL colour
- Door: Solid core timber, 44mm thickness . Textured for site painting, pre-finished to standard RAL, laminated or veneered. 29KG/sqm, maximum width 926mm, maximum height 3,000mm



Door & Frame Detail

- ① Wall construction
- ② Una concealed frame
- ③ Plasterboard
- ④ Fixing area
- ⑤ Jointing compound / skim
- ⑥ Timber solid core door leaf

For the purpose of continual product development, KCC reserves the right to change specifications without notice. Please accept all dimensions as approximate. E&OE. © KCC Group 2025.



Hinge Options

- Butt Hinge: Satin stainless steel finish
- Surface mounted using self-drilling screws



Hinge Options

- ROC York concealed hinge: Satin chrome
- Adjustment on 3 axes
 - Horizontal +3mm -2mm
 - Depth +1mm
 - Vertical +3mm
- Doors up to 60kg specify RY-45, doors up to 100kg specify RY-80



Testing

- Fire: Non fire rated. FD30 and FD60 options available
- Acoustic: Single and double door leaves. Testing by Exova to 32db

Description

KCC Una Timber Riser Door System c/w Concealed Steel Frame. Non Fire Rated



Specification Text

- Manufacturer: KCC Group
- Product Name: KDO-S/UNA/NFR
- Product Type: Una Timber Riser Door System c/w Concealed Steel Frame
- Door Size: Custom. As per door schedule
- Frame material: Folded cold rolled mild steel
- Door material: Solid core timber
- Door thickness: 44mm
- Frame type: Concealed
- Hinges: Butt Hinge or Concealed [SPECIFY]
- Fire Rating: Non Fire Rated
- Acoustic Rating: 32db
- Finishes: Frame - Unfinished for site painting or powder coated to standard RAL colour. Door - Textured for site painting, pre-finished to standard RAL, laminated or veneered. [SPECIFY]