

KEM-CDVI/V5SR Aluminium

Description

CDVI Surface Slimline Single Magnet up to 1100lbs / 500kg Holding Force. Monitored & Visual Status Indicators

		99 99	
Technical Features			
Function & Operation	Electromagnetic lock	Options	V5SR-B: As V5SR and Audible Feedback
Summary of Features	See advanced features	Dimensions	
		Dimensions	Magnet: L266 x H66 x D40, Armature Plate: L185 x H60 x D12
		Finishes	
		Finishes Available	Brushed Aluminium
Certification		BIM Assist™	
European Norm	No Harmonised European Norm	CE	
Product Classification	n/a (No Harmonised European Norm)		
EC Certificate of Conformity No.	n/a (No Harmonised European Norm)	BC(A)R Assist™*	
Certifire No.	n/a (No Harmonised European Norm)	Guarantee	10 Years
Declaration of Performance	n/a (No Harmonised European Norm)	Last Reviewed	15/10/2020
Other Test Evidence	n/a	* ROI Only	

For the purpose of continual product development, KCC reserves the right to change specifications without notice. Please accept all dimensions as approximate. E&OE. © KCC Group 2025.

www.thekccgroup.com



KEM-CDVI/V5SR Aluminium

Description

CDVI Surface Slimline Single Magnet up to 1100lbs / 500kg Holding Force. Monitored & Visual Status Indicators



Features

- Fail unlock device Door is unlocked when power is off
- Holding force: 1100lbs / 500 kg
- Surface mounted
- Recommended for interior use
- Visual signalling (Blue = Locked ; Green = Open)
- Supplied with Safety Rope Fixings (steel rope secodary fixing affixed to the magnet body and the frame - prevents the magnet falling if the primary fixings fail



Technical Characteristics

- Power Supply: 12/24Vdc
- Consumption: 290 mA @ 12V dc, 145 mA @ 24V dc

For the purpose of continual product development, KCC reserves the right to change specifications without notice. Please accept all dimensions as approximate. E&OE. © KCC Group 2025.

www.thekccgroup.com



KEM-CDVI/V5SR Aluminium

Description

CDVI Surface Slimline Single Magnet up to 1100lbs / 500kg Holding Force. Monitored & Visual Status Indicators




Specification Text

GENERAL ACCESS CONTROL

- · Manufacturer: CDVI
- Product reference: KEM-V5SR
- · Type: Surface Slimline Single Magnet up to 1100lbs / 500kg
- Holding Force. Monitored & Visual Status Indicators

 \cdot Size: Magnet: Magnet: L266 x H66 x D40, Armature Plate: L185 x H60 x D12

· Material/ finish: Brushed Aluminium





For the purpose of continual product development, KCC reserves the right to change specifications without notice. Please accept all dimensions as approximate. E&OE. © KCC Group 2025.

www.thekccgroup.com