


Description

KCC Surface Slimline Double Magnet, 600lbs Leaf Holding Force (A10004)



Technical Features

| | |
|----------------------|--|
| Function & Operation | Electromagnetic lock |
| Summary of Features | Holding force of up to 600lbs (272kg) per leaf, site selectable 12 or 24v DC, status LED lights, aluminium housing, current draw 1000mA @ 12vDC & 500mA @ 24vDC. Operating temperature -10 to 55 degrees C |

| | |
|---------|---|
| Options | Monitored (M) or Magnetic Bond Sensor (MBS) |
|---------|---|

Dimensions

| | |
|------------|--|
| Dimensions | Magnet: L500 x W42 x D26, Armature Plate x 2: L179 x W38 x D11 |
|------------|--|

Finishes

| | |
|--------------------|-------------------|
| Finishes Available | Brushed Aluminium |
|--------------------|-------------------|

Certification

| | |
|----------------------------------|------------------------------------|
| European Norm | No Harmonised European Norm |
| Product Classification | n/a (No Harmonised European Norm) |
| EC Certificate of Conformity No. | n/a (No Harmonised European Norm) |
| Certifire No. | n/a (No Harmonised European Norm) |
| Declaration of Performance | n/a (No Harmonised European Norm) |
| Other Test Evidence | EN1634 Fire Assessed Report 400128 |

BIM Assist™

BC(A)R Assist™*

Guarantee

1 Year

Last Reviewed

23/09/2016

* ROI Only

For the purpose of continual product development, KCC reserves the right to change specifications without notice. Please accept all dimensions as approximate. E&OE. © KCC Group 2026.

Description

KCC Surface Slimline Double Magnet, 600lbs Leaf Holding Force (A10004)



Specification Text

GENERAL ACCESS CONTROL

- Manufacturer: KCC Group
- Product reference: KEM-302
- Type: Slimline Single Magnet, holding force up to 600lbs (272kg) per leaf
- Size: Magnet: L500 x W42 x D26, Armature Plate: L179 x W38 x D11
- Material/ finish: Brushed Aluminium

