

Description

CDVI Single Surface Magnet, 300kg - 660lbs Holding Force



Technical Features

Function & Operation	Electromagnetic lock	Options	n/a
Summary of Features	See advanced features	Dimensions	Magnet: L250mm x W43mm x D25mm, Armature Dimensions: L185mm x W38mm x D11mm

Certification

European Norm	No Harmonised European Norm	BIM Assist™	
Product Classification	n/a (No Harmonised European Norm)	BC(A)R Assist™*	
EC Certificate of Conformity No.	n/a (No Harmonised European Norm)	Guarantee	10 Years
Certifire No.	n/a (No Harmonised European Norm)	Last Reviewed	16/08/2021
Declaration of Performance	n/a (No Harmonised European Norm)	n/a	
Other Test Evidence		* ROI Only	

Description

CDVI Single Surface Magnet, 300kg - 660lbs Holding Force

**Technical Characteristics**

- Holding force: 300kg
- Voltage: 12/24Vdc
- Current: @12Vdc = 480mA, @24Vdc = 240mA
- IP42
- Built-in electronic protection to eliminate back EMF

Description

CDVI Single Surface Magnet, 300kg - 660lbs Holding Force

**Specification Text****GENERAL ACCESS CONTROL**

- Manufacturer: CDVI
- Product reference: KEM-CDVI/C3S11
- Type: CDVI Single Surface Magnet, 300kg - 660lbs Holding Force
- Dimensions: L250mm x W43mm x D25mm, Armature Dimensions: L185mm x W38mm x D11mm
- Material/ finish: Aluminium