

Description

CDVI Single Surface Magnet, 500kg - 1100lbs Holding Force



Technical Features

Function & Operation	Electromagnetic lock
Summary of Features	See advanced features

Options n/a

Dimensions

Dimensions Magnet: L265mm x W67mm x D40.5mm
Armature: L185mm x W60mm x D12mm

Finishes

Finishes Available Aluminium

Certification

European Norm	No Harmonised European Norm
Product Classification	n/a (No Harmonised European Norm)
EC Certificate of Conformity No.	n/a (No Harmonised European Norm)
Certifire No.	n/a (No Harmonised European Norm)
Declaration of Performance	n/a (No Harmonised European Norm)
Other Test Evidence	n/a

BIM Assist™

BC(A)R Assist™*

Guarantee

10 Years

Last Reviewed 16/08/2021

* ROI Only

Description

CDVI Single Surface Magnet, 500kg - 1100lbs Holding Force

**Technical Characteristics**

- Holding force: 500kg
- Voltage: 12/24Vdc
- Current: @12Vdc = 500mA, @24Vdc = 250mA
- IP42
- Built-in electronic protection to eliminate back EMF

Description

CDVI Single Surface Magnet, 500kg - 1100lbs Holding Force

**Specification Text****GENERAL ACCESS CONTROL**

- Manufacturer: CDVI
- Product reference: KEM-CDVI/C5S11
- Type: CDVI Single Surface Magnet, 500kg - 1100lbs Holding Force
- Dimensions: Magnet: L265mm x W67mm x D40.5mm. Armature: L185mm x W60mm x D12mm
- Material/ finish: Aluminium